


AXENT

SWITZERLAND





AXENT GRACE


INSTALLATION INSTRUCTION




F02.20xx.44.04





F02.0000.30.04



F02.0100.10.04



 max. 1 MPa	 max. 80°C
	 0.3 MPa / Q= 22 l/min
 40-65°C	 0.1-0.5 MPa




- EN** The product is exclusively designed for drinking water!
DE Das Produkt ist ausschließlich für Trinkwasser konzipiert!
FR Le produit est exclusivement conçu pour de l'eau potable!
NL Het product is uitsluitend ontworpen voor drinkwater!
DA Produktet er udelukkende beregnet til drikkevand!
ES El producto está diseñado exclusivamente para agua potable!
IT Il prodotto è concepito esclusivamente per acqua potabile!
PL Produkt przeznaczony wyłącznie do wody pitnej!
CS Výrobky jsou vhodné pro přímý kontakt s pitnou vodou.
HU A terméket kizárólag ivóvízhez tervezték!





AXENT GRACE


1



2



3



4




ON









5



6



7



- EN** Spare O-ring
DE Ersatz O-Ring
FR Joint torique de rechange
NL Vervangende O-ring
DA Udskiftning af O-ring
ES Junta tórica de recambio
IT O-ring di ricambio
PL Wymienny o-ring
CS Náhradní O-kroužek
HU Csere O-gyűrű




TEMPERATURE ADJUSTMENT

1 **OFF**


2

3




4

No limitation





Max. hot temp: approx. 65°C





Position 1

Max. hot temp: approx. 62°C





Position 2

Max. hot temp: approx. 58°C





Position 3

Max. hot temp: approx. 48°C



Position 4


Max. hot temp: approx. 39°C






TEMPERATURE ADJUSTMENT

5



F02.2002.44.04


6




7




ON







1



2










3





SERVICE GRACE






SERVICE GRACE


1




OFF



2




3



4



ON






F02.20xx.44.04

F02.0000.30.04

F02.0000.10.04



For xx:

12 = Brushed stainless steel

06 = Matt black

07 = Brushed gunmetal

08 = Brushed light gold optic

09 = Brushed dark copper optic

Pos.	Article no.	Product name	Qty
1	X02.0011.10.01	Set of seal	1
2	X02.0010.10.01	Cartridge D35 with limiter	1
3	X02.0022.10.01	Nut M37	1
4	X02.0039.10.1	Seat of seal	1
5	X02.0040.10.1	Diverter 2-way	1
6	X02.0003.10.01	Nut M31	1
7	X02.0014.xx.01	Cover D64/22	1
8	X02.0013.xx.01	Cover D64/43	1



Pos.	Article no.	Product name	Qty
9	X02.0012.xx.01	Sleeve	1
10	X02.0024.xx.04	Rosette complete D42	1
11	X02.0023xx.01	Handle complete D42.5	1
12	X02.0000.xx.01	Handle 45	1
13	X02.0036.10.01	Sliding ring D41.5	1
14	X02.0041.xx.01	Handle complete diverter	1
15	X02.0061.xx.01	Cover D64/24	1
16	X02.0032.10.01	Water connection G1/2"	1
17	X02.0042.xx.01	Shower hose 1500mm	1
18	X02.0043.10.01	Check valve CV14	1
19	X02.0044.xx.01	Hand shower	1
20	X02.0025.10.01	Aerator	1
21	A02.0000.00.04	Extension set for single lever mixer 2cm	1
22	A02.0100.xx.04	Extension set for diverter 2cm	1
23	A02.0200.00.04	Extension set for water connection 2cm	1

AXENT International AG

info@axentbath.ch
www.axentbath.ch